

# Farbkarte - Shade Card






























**Pigment-Präparationen · Pigment Preparations · Préparations Pigmentaires**

Arichemie GmbH · Füllstoff- und Farbenfabrik · Dipl.-Chem. A. de Lannoy  
Valterweg 21 - 22 · D-65817 Eppstein  
Tel: +49 (0) 61 98 · 59 12 · 0



## Pigment-Präparationen · Pigment Preparations

	<b>PO 13</b> Disazopyrazolone
	<b>PY 3</b> Monoazo Yellow
	<b>PO 43</b> Perinone
	<b>PY 138</b> Chinophthalone
	<b>PO 73</b> Diketo-Pyrrolo-Pyrrole (DPP)
	<b>PY 97</b> Monoazo Yellow
	<b>PO 5</b> β-Naphthol
	<b>PY 93</b> Diazo Condensation
	<b>PO 34</b> Disazopyrazolone
	<b>PY 120</b> Benzimidazolone
	<b>PR 168</b> Anthanthrone
	<b>PY 1</b> Monoazo Yellow
	<b>PR 53:1</b> β-Naphthol, Ba
	<b>PY 155</b> Bisacetoacetarylide
	<b>PR 112</b> Naphthol AS
	<b>PY 74</b> Monoazo Yellow
	<b>PR 2</b> Naphthol AS
	<b>PY 14</b> Diaryl Yellow
	<b>PR 166</b> Disazo Condensation
	<b>PY 13</b> Diaryl Yellow
	<b>PR 254</b> Diketo-Pyrrolo-Pyrrole (DPP)
	<b>PY 153</b> Metal Complex
	<b>PR 214</b> Disazo Condensation
	<b>PY 83</b> Diaryl Yellow
	<b>PR 208</b> Benzimidazolone
	<b>PY 110</b> Isoindolinon
	<b>PR 170</b> Naphthol AS

# Pigment-Präparationen · Pigment Preparations



	<b>PR 176</b> Benzimidazolone		
	<b>PR 146</b> Naphthol AS		<b>PG 36</b> Cu-Phthalocyanine
	<b>PR 179</b> Perylene		<b>PBk 7</b> Carbon Black
	<b>PR 14</b> Naphthol AS		<b>PY 53</b> Nickel Titanium
	<b>PR 184</b> Naphthol AS		<b>PY 184</b> Bismuth Vanadate
	<b>PR 57:1</b> BON, Ca		<b>PBr 24</b> Chrome Titanium
	<b>PR 122</b> Quinacridone		<b>PY 42</b> Iron Oxide Yellow
	<b>PV 19</b> Quinacridone		<b>PR 101</b> Iron Oxide Red
	<b>PV 23</b> Dioxazine		<b>PB 29</b> Ultramarine Blue
	<b>PB 15</b> Cu-Phthalocyanine		<b>PB 28</b> Cobalt Blue
	<b>PB 15:1</b> Cu-Phthalocyanine, $\alpha$ -Mod.		<b>PB 36</b> Cobalt Blue
	<b>PB 15:3</b> Cu-Phthalocyanine, $\beta$ -Mod.		<b>PG 50</b> Cobalt Green
	<b>PB 16</b> Phthalocyanine, free of metal		<b>PG 17</b> Chrome Oxide Green
	<b>PG 7</b> Cu-Phthalocyanine		<b>PBk 11</b> Iron Oxide Black

## Pigment-Präparationen für / Pigment preparations for

Wässrige Systeme  
Aqueous systems  
Vocaflex  
Vocafil  
Vocateint



Universal System  
Universal system  
Aritint

Kunststoff- & Lacksysteme  
Plastic & lacquer systems  
Vocaplast  
Heliocolor



Kautschuk- & Gummisysteme  
Rubber systems  
Vulcogran

## Arichemie GmbH

Füllstoff- und Farbenfabrik  
Dipl.-Chem. A. de Lannoy  
Valterweg 21 - 22  
D-65817 Eppstein/Ts.

Tel.: +49 (0) 61 98 · 59 12 · 0  
Fax: +49 (0) 61 98 · 3 25 27  
info@arichemie.com  
[www.arichemie.com](http://www.arichemie.com)

Die Farben entsprechen dem Purton (5%ige Ausfärbung bei organischen und 20%ige bei anorganischen Pigmenten), aufgezogen mit 40 µm auf Kontrastkarton. Die Farbkarte kann nicht zur Farbtonbestimmung oder zur Prüfung von Echtheiten herangezogen werden. Der Kunde ist verpflichtet vor dem Einsatz in seinem Anwendungssystem, die Präparation auf Verträglichkeit zu prüfen.

The colours correspond to the mass tone (5% colouring with organic and 20% with inorganic pigments), 40 µm application on Moresst chart. The shade card cannot be used to determine the tone or to prove the fastness. The client must test the compatibility of our preparations in his own system before use.